

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

MSDS Version: E05.00 Date of issue: 05/09/2018 Blend Version: 4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : Petrol Extreme Cleaner

Product code : W29792

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Petrol additive. Function or use category : Fuel additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Wynn's Belgium Industriepark-West 46 9100 Sint-Niklaas - Belgium T +32 3 766 60 20 - F +32 3 73

T +32 3 766 60 20 - F +32 3 778 16 56 msds@wynns.eu - www.wynns.com

1.4. Emergency telephone number

Emergency number : BIG: +32(0)14/58.45.45 (NL FR EN DE)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

 Flam. Liq. 3
 H226

 Skin Irrit. 2
 H315

 STOT RE 2
 H373

 Asp. Tox. 1
 H304

Full text of H statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :







GHS02

GHS07

GHS08

Signal word (CLP) : Danger

Hazardous ingredients : hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%);

distillates (Fischer-Tropsch), C8-26, branched and linear

Hazard statements (CLP) : H226 - Flammable liquid and vapour.

H304 - May be fatal if swallowed and enters airways.

H315 - Causes skin irritation.

 $\ensuremath{\mathsf{H373}}$ - $\ensuremath{\mathsf{May}}$ cause damage to organs (central nervous system) through prolonged

or repeated exposure.

Precautionary statements (CLP) : P102 - Keep out of reach of children.

P405 - Store locked up.

P210 - Keep away from heat, open flames, sparks, hot surfaces. No smoking.

P260 - Do not breathe vapours. P280 - Wear protective gloves.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor

P331 - Do NOT induce vomiting.

08/04/2019 EN (English) 1/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % w | Classification according to Regulation (EC) No. 1272/2008 [CLP] | |
|--|--|-------------|---|--|
| distillates (Fischer-Tropsch), C8-26, branched and linear | (CAS-No.) 848301-67-7 (EC-No.) 481-740-5 (REACH-no) 01-0000020119-75 | 50 - 75 | Asp. Tox. 1, H304 | |
| polyetheramine | (CAS-No.) 224622-34-8 | 10 - 25 | Skin Irrit. 2, H315 Aquatic Chronic 3, H412 | |
| 4-methylpentan-2-ol | (CAS-No.) 108-11-2 (EC-No.) 203-551-7 (EC Index-No.) 603-008-00-8 (REACH-no) 01-2119473979-13 | 5 - 10 | Flam. Liq. 3, H226 Eye Irrit. 2, H319 STOT SE 3, H335 | |
| hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%) | (EC-No.) 919-164-8 (REACH-no) 01-2119473977-17 | 1 - 2,5 | STOT RE 1, H372 Asp. Tox. 1, H304 Aquatic Chronic 3, H412 | |
| Name | Product identifier | Specific of | Specific concentration limits | |
| 4-methylpentan-2-ol | (CAS-No.) 108-11-2 (EC-No.) 203-551-7 (EC Index-No.) 603-008-00-8 (REACH-no) 01-2119473979-13 | (C >= 25) | STOT SE 3, H335 | |

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : (

: Check the vital functions. Keep victim at rest in half upright position. Unconscious: maintain adequate airway and respiration. Respiratory arrest: artificial respiration or oxygen. Cardiac arrest: perform resuscitation. Victim in shock: on his back with legs slightly raised. Vomiting: prevent asphyxia/aspiration pneumonia. Keep watching the victim. Give psychological aid. Prevent cooling by covering the victim (no warming up). Keep the victim calm, avoid physical strain. If necessary seek

medical advice.

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position

comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and

water, followed by warm water rinse. If skin irritation occurs: Get medical

advice/attention.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get

medical advice/attention.

First-aid measures after ingestion : If swallowed, rinse mouth. Do NOT induce vomiting. Call a POISON CENTER/doctor

if you feel unwell. Ingestion of large quantities: immediately to hospital.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after ingestion : Risk of aspiration pneumonia. May be fatal if swallowed and enters airways.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. AFFF foam. ABC-powder.

5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour. Gas/vapour spreads at floor level: ignition hazard.

Take precautionary measures against static discharge.

Explosion hazard : No direct explosion hazard.

5.3. Advice for firefighters

Firefighting instructions : Prevent fire fighting water from entering the environment.

08/04/2019 EN (English) 2/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Protection during firefighting

: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Use special care to avoid static electric charges. No open flames. No smoking.

6.1.1. For non-emergency personnel

Protective equipment : Wear suitable gloves and eye/face protection. protective clothing.

Emergency procedures : Mark the danger area. Prevent flow to low areas. In confined space use self-

contained breathing apparatus. Take off contaminated clothing.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Impound and recover large spill. Contain leaking substance, pump over in suitable

containers

Methods for cleaning up : Small quantities of liquid spill: take up in non-combustible absorbent material and

shovel into container for disposal. Clean preferably with a detergent - Avoid the

use of solvents.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Meet the legal requirements. Repeated exposure may cause skin dryness or

cracking. Presents no particular risk when handled in accordance with good

occupational hygiene practice.

Hygiene measures : Use good personal hygiene practices. IF ON SKIN: Gently wash with plenty of soap

and water. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Meet the legal requirements. Protect from sunlight. Store in a well-ventilated place.

Storage temperature : < 45 °C

Storage area : Meet the legal requirements. Fireproof storeroom. Ventilation along the floor.

Special rules on packaging : Store in a closed container. Labelling according to.

7.3. Specific end use(s)

Read label before use. Observe the label precautions. See product bulletin for detailed information.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

| Belgium | Limit value (mg/m³) | 533 mg/m ³ |
|------------------------|---------------------|-----------------------|
| Belgium | Limit value (ppm) | 100 ppm |
| Italy - Portugal - USA | ACGIH TWA (ppm) | 100 ppm |

ACGIH

4-methylpentan-2-ol (108-11-2)

| Belgium | Limit value (mg/m³) | 106 mg/m ³ |
|---------|--------------------------|-----------------------|
| Belgium | Limit value (ppm) | 25 ppm |
| Belgium | Short time value (mg/m³) | 169 mg/m ³ |
| Belgium | Short time value (ppm) | 40 ppm |
| Belgium | Remark (BE) | D |

France VME (mg/m 3) 100 mg/m 3 France VME (ppm) 25 ppm Germany TRGS 900 Occupational exposure limit value 85 mg/m 3

(mg/m³)

08/04/2019 EN (English) 3/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

4-methylpentan-2-ol (108-11-2)

Germany TRGS 900 Occupational exposure limit value 20 ppm

(ppm)

Italy - Portugal - USA ACGIH TWA (ppm) 25 ppm

ACGIH

Italy - Portugal - USA ACGIH STEL (ppm) 40 ppm

ACGIH

United KingdomWEL TWA (mg/m³)106 mg/m³United KingdomWEL TWA (ppm)25 ppmUnited KingdomWEL STEL (mg/m³)170 mg/m³United KingdomWEL STEL (ppm)40 ppm

distillates (Fischer-Tropsch), C8-26, branched and linear (848301-67-7)

PNEC (Sediment)

PNEC sediment (freshwater) 2,06 mg/kg dwt

PNEC (Soil)

PNEC soil 1,68 mg/kg dwt

PNEC (STP)

PNEC sewage treatment plant 10 mg/l

4-methylpentan-2-ol (108-11-2)

DNEL/DMEL (Workers)

Acute - systemic effects, inhalation 208 mg/m³ Acute - local effects, inhalation 104 mg/m³

Long-term - systemic effects, dermal 11,8 mg/kg bodyweight/day

Long-term - systemic effects, inhalation 83 mg/m³ Long-term - local effects, inhalation 83 mg/m³

DNEL/DMEL (General population)

 $\begin{tabular}{lll} Acute - systemic effects, inhalation & 155,2 mg/m^3 \\ Acute - local effects, inhalation & 52,1 mg/m^3 \\ \end{tabular}$

Long-term - systemic effects,oral 4,2 mg/kg bodyweight/day

Long-term - systemic effects, inhalation 14,7 mg/m³

Long-term - systemic effects, dermal 4,2 mg/kg bodyweight/day

Long-term - local effects, inhalation 14,7 mg/m³

PNEC (Water)

PNEC aqua (freshwater) 0,6 mg/l
PNEC aqua (marine water) 0,06 mg/l
PNEC aqua (intermittent, freshwater) 3,3 mg/l

PNEC (Sediment)

PNEC sediment (freshwater) 2,94 mg/kg dwt
PNEC sediment (marine water) 0,3 mg/kg dwt

PNEC (Soil)

PNEC soil 0,24 mg/kg dwt

PNEC (STP)

PNEC sewage treatment plant 1 mg/l

8.2. Exposure controls

Appropriate engineering controls : Emergency eye wash fountains and safety showers should be available in the

immediate vicinity of any potential exposure. Does not require any specific or particular technical measures.

Personal protective equipment : Gloves. Safety glasses.



Hand protection : Neoprene. Nitrile rubber. Choosing the proper glove is a decision that depends not

only on the type of material, but also on other quality features, which differ for each manufacturer. Time of penetration is to be checked with the glove producer.

Other information : Breakthrough time : >30'. Thickness of the glove material >0,1 mm.

08/04/2019 EN (English) 4/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : clear.
Colour : Yellow.

Odour : petroleum-like odour.

Odour threshold : No data available

pH :

Relative evaporation rate : No data available

(butylacetate=1)

refraction index : 1,435

Melting point : No data available Freezing point : No data available Boiling point : No data available

Flash point : 48 °C

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapour pressure : No data available
Relative vapour density at 20 °C : No data available
Relative density : No data available
Density @20°C : 800 kg/m³

Solubility : insoluble in water.

Log Pow : No data available

Log Kow : No data available

Viscosity, kinematic @40°C : 3,79 mm²/s

Viscosity, dynamic @40°C : No data available

Viscosity :

Viscosity Index :

Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

9.2. Other information

VOC content : 84,61 %

Additional information : The physical and chemical data in this section are typical values for this product

and are not intended as product specifications.

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from strong acids and strong oxidizers.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. On burning: release of harmful/irritant gases/vapours. Carbon monoxide. Carbon dioxide.

08/04/2019 EN (English) 5/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Harmful: may cause lung damage if swallowed

distillates (Fischer-Tropsch), C8-26, branched and linear (848301-67-7)

LD50 oral rat > 5000 mg/kg bodyweight Sprague-Dawley
LD50 dermal rat > 2000 mg/kg bodyweight Sprague-Dawley

hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

LD50 oral rat > 15000 mg/kgLD50 dermal rabbit > 3400 mg/kgLC50 inhalation rat (mg/l) > 13,1 mg/l/4h

4-methylpentan-2-ol (108-11-2)

LD50 oral rat

LD50 dermal rabbit

LC50 inhalation rat (mg/l)

ATE CLP (oral)

ATE CLP (dermal)

Skin corrosion/irritation

2590 mg/kg bodyweight

2690 mg/kg bodyweight

2590 mg/kg bodyweight

2870 mg/kg bodyweight

2870 mg/kg bodyweight

Serious eye damage/irritation : Not classified
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified

STOT-repeated exposure : May cause damage to organs (central nervous system) through prolonged or

repeated exposure.

Aspiration hazard : May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : This product contains hazardous components for the aquatic environment.

Ecology - water : Harmful to aquatic life with long lasting effects.

distillates (Fischer-Tropsch), C8-26, branched and linear (848301-67-7)

LC50 fish 1 > 1000 mg/l @96h Pimephales promelas EC50 Daphnia 1 > 1000 mg/l @48h Daphnia magna

NOEC (acute) > 1000 mg/l @48h Daphnia magna

4-methylpentan-2-ol (108-11-2)

LC50 fish 1 > 92,4 mg/l @96h Pimephales promelas

EC50 Daphnia 1 48h 337 mg/l Daphnia magna

EC50 other aquatic organisms 1 96h 334 mg/l Pseudokirchneriella subcapitata

NOEC (acute) 48h 288 mg/l Daphnia magna

12.2. Persistence and degradability

distillates (Fischer-Tropsch), C8-26, branched and linear (848301-67-7)

Persistence and degradability Readily biodegradable.

4-methylpentan-2-ol (108-11-2)

Persistence and degradability Readily biodegradable in water. easily degradable in the soil.

12.3. Bioaccumulative potential

distillates (Fischer-Tropsch), C8-26, branched and linear (848301-67-7)

Log Pow > 6,5 @40°C

12.4. Mobility in soil

No additional information available

08/04/2019 EN (English) 6/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

12.5. Results of PBT and vPvB assessment

hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, aromatics (2-25%)

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal

recommendations

: Dispose in a safe manner in accordance with local/national regulations. Remove to

an authorized waste treatment plant.

European List of Waste (LoW) code

: 18 01 06* - chemicals consisting of or containing dangerous substances 15 01 10* - packaging containing residues of or contaminated by dangerous

substances

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

14.1. UN number

UN-No. (ADR) : 1993

14.2. UN proper shipping name

Proper Shipping Name (ADR) : FLAMMABLE LIQUID, N.O.S.

: UN 1993 FLAMMABLE LIQUID, N.O.S. (METHYL ISOBUTYL CARBINOL), 3, III, (D/E) Transport document description (ADR)

14.3. Transport hazard class(es)

Class (ADR) : 3 : 3 Danger labels (ADR)



14.4. Packing group

Packing group (ADR) : III

14.5. Environmental hazards

: No supplementary information available. Other information

14.6. Special precautions for user

14.6.1. Overland transport

Hazard identification number (Kemler No.): 30 Classification code (ADR) : F1

Orange plates

30 1993

Special provisions (ADR) : 274, 601, 640E

Transport category (ADR) : 3 Tunnel restriction code (ADR) : D/E Limited quantities (ADR) : 51 Excepted quantities (ADR) : E1 EAC code : •3YE

14.6.2. Transport by sea

: F-E, S-E EmS-No. (1)

14.6.3. Air transport

Instruction "cargo" (ICAO) : 366 Instruction "passenger" (ICAO) : 355

08/04/2019 EN (English) 7/8

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Instruction "passenger" - Limited quantities (ICAO)

: Y344

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC content : 84,61 %

15.1.2. National regulations

Water hazard class (WGK) : 1 - Slightly hazardous to water

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Full text of H- and EUH-statements:

STOT RE 2

Aquatic Chronic 3 Hazardous to the aquatic environment — Chronic Hazard,

Category 3

Asp. Tox. 1 Aspiration hazard, Category 1

Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Liq. 3 Flammable liquids, Category 3

Skin Irrit. 2 Skin corrosion/irritation, Category 2

STOT RE 1 Specific target organ toxicity — Repeated exposure,

Category 1

Category 2

STOT SE 3 Specific target organ toxicity — Single exposure, Category 3,

Respiratory tract irritation H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

H372 Causes damage to organs through prolonged or repeated

exposure.

Specific target organ toxicity — Repeated exposure,

H373 May cause damage to organs through prolonged or repeated

exposure.

H412 Harmful to aquatic life with long lasting effects.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

08/04/2019 EN (English) 8/8