



# Airco-Clean® Ultrasonic for Cars

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

MSDS Version: E05.02

Date of issue: 12/04/2018

Blend Version: 4

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name : Airco-Clean® Ultrasonic for Cars

Product code : W30205

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Industrial/Professional use spec : For professional use only

Use of the substance/mixture : Antiseptic product for air conditioning.  
Authorisation No. Belgium : 5107B  
Authorisation No. Netherlands : 13725N  
registration n° Germany - BAUA: N-60052  
registration n° Poland: 6307/15  
Danish product registration number: 2466972

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Wynn's Belgium  
Industriepark-West 46  
9100 Sint-Niklaas - Belgium  
T +32 3 766 60 20 - F +32 3 778 16 56  
[msds@wynns.eu](mailto:msds@wynns.eu) - [www.wynns.com](http://www.wynns.com)

#### 1.4. Emergency telephone number

Emergency number : BIG: +32(0)14/58.45.45 (NL FR EN DE)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute Tox. 4 (Inhalation:dust,mist) H332

Aquatic Acute 1 H400

Aquatic Chronic 3 H412

Full text of H statements : see section 16

##### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

GHS09

Signal word (CLP) : Warning

Hazard statements (CLP) : H332 - Harmful if inhaled.  
H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.  
P271 - Use only outdoors or in a well-ventilated area.  
P273 - Avoid release to the environment.  
P312 - Call a POISON CENTER, a doctor if you feel unwell.  
P501 - Dispose of contents/container to : Dispose of this material and its container at hazardous or special waste collection point

Allergenic fragrances > 0,01%:

BENZYL SALICYLATE  
LINALOOL

# Airco-Clean® Ultrasonic for Cars

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Detergent Regulation : Labelling of contents:(Regulation (EC) No. 648/2004 of 31 March 2004 on detergents):

Component	%
non-ionic surfactants	<5%
disinfectants	
perfumes	
BENZYL SALICYLATE	
LINALOOL	

### 2.3. Other hazards

Other hazards not contributing to the classification : Restricted to professional users. Warning! Avoid exposure - obtain special instructions before use. Read attached instructions before use.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	% w	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2-(2-butoxyethoxy)ethanol	(CAS-No.) 112-34-5 (EC-No.) 203-961-6 (EC Index-No.) 603-096-00-8 (REACH-no) 01-2119475104-44	1 - 2,5	Eye Irrit. 2, H319
Propan-2-ol	(CAS-No.) 67-63-0 (EC-No.) 200-661-7 (EC Index-No.) 603-117-00-0 (REACH-no) 01-2119457558-25	1 - 2,5	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	(CAS-No.) 68424-85-1 (EC-No.) 270-325-2 (REACH-no) 01-2119983287-23	0,99	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410
camphor; bornan-2-one substance with a Community workplace exposure limit	(CAS-No.) 76-22-2 (EC-No.) 200-945-0 (REACH-no) 01-2119966156-31	0,01 - 0,02	Flam. Sol. 2, H228 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 STOT SE 2, H371

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

First-aid measures general	: Check the vital functions. Keep victim at rest in half upright position. Unconscious: maintain adequate airway and respiration. Respiratory arrest: artificial respiration or oxygen. Cardiac arrest: perform resuscitation. Victim in shock: on his back with legs slightly raised. Vomiting: prevent asphyxia/aspiration pneumonia. Keep watching the victim. Give psychological aid. Prevent cooling by covering the victim (no warming up). Keep the victim calm, avoid physical strain. If necessary seek medical advice.
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: If swallowed, rinse mouth. Do NOT induce vomiting. Call a POISON CENTER/doctor if you feel unwell. Ingestion of large quantities: immediately to hospital.

### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

# Airco-Clean® Ultrasonic for Cars

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : All extinguishing agents can be used.  
Unsuitable extinguishing media : None to our knowledge. If there is a fire close by, use suitable extinguishing agents.

#### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : Volatile components form flammable mixture with air.  
Explosion hazard : Product is not explosive.

#### 5.3. Advice for firefighters

- Firefighting instructions : Prevent fire fighting water from entering the environment.  
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

- Protective equipment : Wear suitable gloves and eye/face protection.  
Emergency procedures : Mark the danger area. Do not breathe vapours. Ventilate spillage area. If on skin, take off contaminated clothing.

##### 6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

- For containment : Collect spillage. Contain leaking substance, pump over in suitable containers.  
Methods for cleaning up : Take up liquid spill into absorbent material. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Clean contaminated surfaces with a soap solution.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Presents no particular risk when handled in accordance with good occupational hygiene practice. Avoid exposure - obtain special instructions before use. Provide good ventilation in process area to prevent formation of vapour.  
Hygiene measures : Use good personal hygiene practices. IF ON SKIN: Gently wash with plenty of soap and water. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Keep out of frost.  
Storage conditions : Keep cool. Protect from sunlight. Keep container tightly closed. Keep only in original container. Meet the legal requirements.  
Maximum storage period : 24 months  
Heat and ignition sources : Keep away from heat.  
Storage area : Meet the legal requirements.  
Special rules on packaging : Keep only in original container. Labelling according to.

#### 7.3. Specific end use(s)

Use biocides safely. Always read the label and product information before use. Observe instructions for use.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Propan-2-ol (67-63-0)

Belgium	Limit value (mg/m <sup>3</sup> )	500 mg/m <sup>3</sup>
Belgium	Limit value (ppm)	200 ppm
Belgium	Short time value (mg/m <sup>3</sup> )	1000 mg/m <sup>3</sup>

# Airco-Clean® Ultrasonic for Cars

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### Propan-2-ol (67-63-0)

Belgium	Short time value (ppm)	400 ppm
France	VLE (mg/m <sup>3</sup> )	980 mg/m <sup>3</sup>
France	VLE (ppm)	400 ppm

### 2-(2-butoxyethoxy)ethanol (112-34-5)

EU	IOELV TWA (mg/m <sup>3</sup> )	67,5 mg/m <sup>3</sup>
EU	IOELV TWA (ppm)	10 ppm
EU	IOELV STEL (mg/m <sup>3</sup> )	101,2 mg/m <sup>3</sup>
EU	IOELV STEL (ppm)	15 ppm
Belgium	Limit value (mg/m <sup>3</sup> )	67,5 mg/m <sup>3</sup>
Belgium	Limit value (ppm)	10 ppm
Belgium	Short time value (mg/m <sup>3</sup> )	101,2 mg/m <sup>3</sup>
Belgium	Short time value (ppm)	15 ppm
France	VLE (mg/m <sup>3</sup> )	67,5 mg/m <sup>3</sup>
France	VLE (ppm)	10 ppm
France	VME (mg/m <sup>3</sup> )	101,2 mg/m <sup>3</sup>
France	VME (ppm)	15 ppm

### camphor; bornan-2-one (76-22-2)

EU	IOELV TWA (mg/m <sup>3</sup> )	12 mg/m <sup>3</sup>
EU	IOELV TWA (ppm)	2 ppm
EU	IOELV STEL (mg/m <sup>3</sup> )	19 mg/m <sup>3</sup>
EU	IOELV STEL (ppm)	3 ppm
Belgium	Limit value (mg/m <sup>3</sup> )	12 mg/m <sup>3</sup>
Belgium	Limit value (ppm)	2 ppm
Belgium	Short time value (mg/m <sup>3</sup> )	19 mg/m <sup>3</sup>
Belgium	Short time value (ppm)	3 ppm
France	VME (mg/m <sup>3</sup> )	12 mg/m <sup>3</sup>
France	VME (ppm)	2 ppm

### Propan-2-ol (67-63-0)

DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	888 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	500 mg/m <sup>3</sup>
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	26 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	89 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	319 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	140,9 mg/l
PNEC aqua (marine water)	140,9 mg/l
PNEC aqua (intermittent, freshwater)	140,9 mg/l
PNEC aqua (intermittent, marine water)	140,9 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	552 mg/kg dwt
PNEC sediment (marine water)	552 mg/kg dwt
PNEC (Soil)	
PNEC soil	28 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	160 mg/kg food
PNEC (STP)	
PNEC sewage treatment plant	2251 mg/l

### 2-(2-butoxyethoxy)ethanol (112-34-5)

DNEL/DMEL (Workers)	
Acute - local effects, inhalation	101,2 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	83 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	67,5 mg/m <sup>3</sup>
Long-term - local effects, inhalation	67,5 mg/m <sup>3</sup>

# Airco-Clean® Ultrasonic for Cars

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 2-(2-butoxyethoxy)ethanol (112-34-5)

DNEL/DMEL (General population)	
Acute - local effects, inhalation	60,7 mg/m <sup>3</sup>
Long-term - systemic effects, oral	5 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	40,5 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	50 mg/kg bodyweight/day
Long-term - local effects, inhalation	40,5 mg/m <sup>3</sup>
PNEC (Water)	
PNEC aqua (freshwater)	1,1 mg/l
PNEC aqua (marine water)	0,11 mg/l
PNEC aqua (intermittent, freshwater)	11 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	4,4 mg/kg dwt
PNEC sediment (marine water)	0,44 mg/kg dwt
PNEC (Soil)	
PNEC soil	0,32 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	56 mg/kg food
PNEC (STP)	
PNEC sewage treatment plant	200 mg/l

### camphor; bornan-2-one (76-22-2)

DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	10 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	17,632 mg/m <sup>3</sup>
DNEL/DMEL (General population)	
Long-term - systemic effects, oral	5 mg/kg bodyweight/day
Long-term - systemic effects, inhalation	4,348 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	5 mg/kg bodyweight/day
PNEC (Water)	
PNEC aqua (freshwater)	0,139 mg/l
PNEC aqua (marine water)	0,014 mg/l
PNEC (Sediment)	
PNEC sediment (freshwater)	0,139 mg/kg dwt
PNEC sediment (marine water)	0,0139 mg/kg dwt
PNEC (Soil)	
PNEC soil	2,17 mg/kg dwt
PNEC (Oral)	
PNEC oral (secondary poisoning)	5,56 mg/kg food
PNEC (STP)	
PNEC sewage treatment plant	1 mg/l

## 8.2. Exposure controls

Appropriate engineering controls

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Provide good ventilation in process area to prevent formation of vapour. Does not require any specific or particular technical measures.

Personal protective equipment

: Gloves. Safety glasses.



Hand protection

: Neoprene. Nitrile rubber. Polyvinylchloride (PVC). Choosing the proper glove is a decision that depends not only on the type of material, but also on other quality features, which differ for each manufacturer. Time of penetration is to be checked with the glove producer.

Other information

: Breakthrough time : >30'. Thickness of the glove material >0.1 mm.

# Airco-Clean® Ultrasonic for Cars

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: clear.
Colour	: Colourless.
Odour	: characteristic.
Odour threshold	: No data available
pH	: 8,5
Relative evaporation rate (butylacetate=1)	: No data available
refraction index	: 1,34
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: >= 63 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density @20°C	: 996,3 kg/m <sup>3</sup>
Solubility	: Soluble in water.
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic @40°C	: No data available
Viscosity, dynamic @40°C	: No data available
Viscosity	:
Viscosity Index	:
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

#### 9.2. Other information

VOC content	: 1,922 %
Additional information	: The physical and chemical data in this section are typical values for this product and are not intended as product specifications.

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No additional information available

#### 10.4. Conditions to avoid

Keep away from heat and direct sunlight.

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Airco-Clean® Ultrasonic for Cars

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Inhalation:dust,mist: Harmful if inhaled.

##### **Airco-Clean® Ultrasonic for Cars**

ATE CLP (dust,mist) 1,5 mg/l/4h

##### **Propan-2-ol (67-63-0)**

LD50 oral rat 5840 mg/kg bodyweight Sherman

LD50 dermal rabbit 13900 mg/kg bodyweight

LC50 inhalation rat (mg/l) > 25 mg/l

ATE CLP (oral) 5840 mg/kg bodyweight

ATE CLP (dermal) 13900 mg/kg bodyweight

##### **2-(2-butoxyethoxy)ethanol (112-34-5)**

LD50 oral rat 7291 mg/kg bodyweight COBS, CD, BR

LD50 dermal rabbit 2764 mg/kg bodyweight New Zealand White

LC50 inhalation rat (ppm) > 29 ppm @2h

ATE CLP (oral) 7291 mg/kg bodyweight

ATE CLP (dermal) 2764 mg/kg bodyweight

##### **Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1)**

LD50 oral rat 344 mg/kg

ATE CLP (oral) 344 mg/kg bodyweight

##### **camphor; bornan-2-one (76-22-2)**

LD50 oral rat 1310 mg/kg bodyweight

ATE CLP (oral) 1310 mg/kg bodyweight

ATE CLP (dust,mist) 1,5 mg/l/4h

Skin corrosion/irritation : Not classified  
pH: 8,5

Serious eye damage/irritation : Not classified  
pH: 8,5

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general : This product contains hazardous components for the aquatic environment.

Ecology - water : Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.

##### **Propan-2-ol (67-63-0)**

LC50 fish 1 96h 9640 mg/l pimephales promelas

EC50 Daphnia 1 24h 9714 mg/l daphnia magna

LOEC (chronic) 1000 mg/l @8d algae

##### **2-(2-butoxyethoxy)ethanol (112-34-5)**

LC50 fish 1 96h 1300 mg/l Lepomis macrochirus

EC50 Daphnia 1 24h 2850 mg/l Daphnia magna

EC50 other aquatic organisms 1 72h 1101 mg/l Pseudokirchnerella subcapitata

##### **Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1)**

LC50 fish 1 96h 0,28 mg/l Pimephales promelas

EC50 Daphnia 1 48h 0,016 mg/l Daphnia magna

ErC50 (algae) 72h 0,049 mg/l Pseudokirchneriella subcapitata

NOEC (chronic) 21d 0,0042 mg/l Daphnia Magna

NOEC chronic fish 34d 0,032 mg/l Pimephales promelas

# Airco-Clean® Ultrasonic for Cars

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### camphor; bornan-2-one (76-22-2)

LC50 fish 1

96h 35 - 50 mg/l Danio rerio

## 12.2. Persistence and degradability

### Airco-Clean® Ultrasonic for Cars

Persistence and degradability

Contained surfactants are biodegradable. The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer. May cause long-term adverse effects in the environment.

### Propan-2-ol (67-63-0)

Persistence and degradability

Readily biodegradable.

## 12.3. Bioaccumulative potential

### Propan-2-ol (67-63-0)

Log Pow

0,05

Log Kow

< 4

Bioaccumulative potential

No bioaccumulation.

### 2-(2-butoxyethoxy)ethanol (112-34-5)

Log Pow

1

## 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

### Propan-2-ol (67-63-0)

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Dispose in a safe manner in accordance with local/national regulations. Remove to an authorized waste treatment plant.

European List of Waste (LoW) code

: 20 01 19\* - pesticides  
15 01 10\* - packaging containing residues of or contaminated by dangerous substances

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

### 14.1. UN number

UN-No. (ADR)

: 3082

### 14.2. UN proper shipping name

Proper Shipping Name (ADR)

: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport document description (ADR)

: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (quaternary ammonium compound), 9, III

### 14.3. Transport hazard class(es)

Class (ADR)

: 9

Danger labels (ADR)

: 9



### 14.4. Packing group

Packing group (ADR)

: III



# Airco-Clean® Ultrasonic for Cars

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 14.5. Environmental hazards

Dangerous for the environment



Other information

: No supplementary information available.


### 14.6. Special precautions for user

#### 14.6.1. Overland transport

Hazard identification number (Kemler No.) : 90

Classification code (ADR) : M6

Orange plates



Special provisions (ADR) : 274, 335, 375, 601

Transport category (ADR) : 3

Limited quantities (ADR) : 5I

Excepted quantities (ADR) : E1

EAC code : •3Z

#### 14.6.2. Transport by sea

EmS-No. (1) : F-A, S-F

#### 14.6.3. Air transport

Instruction "cargo" (ICAO) : 964

Instruction "passenger" (ICAO) : 964

Instruction "passenger" - Limited quantities (ICAO) : Y964

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

VOC content : 1,922 %

Allergenic fragrances > 0,01%:

BENZYL SALICYLATE 0,01%

LINALOOL 0,02%

#### 15.1.2. National regulations

Occupational diseases : RG 84 - Affections engendrées par les solvants organiques liquides à usage professionnel

Water hazard class (WGK) : 2 - significant hazard to waters

### 15.2. Chemical safety assessment

No additional information available

## SECTION 16: Other information

Full text of H- and EUH-statements:

Acute Tox. 4 (Inhalation:dust,mist)

Acute toxicity (inhalation:dust,mist) Category 4

# Airco-Clean® Ultrasonic for Cars

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

---

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Sol. 2	Flammable solids, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
STOT SE 2	Specific target organ toxicity — Single exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H225	Highly flammable liquid and vapour.
H228	Flammable solid.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H371	May cause damage to organs.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*